Contents to volume 232

Review Letter

Role of endopeptidase-24.11 in the inactivation of atrial natriuretic peptide (FEB 05790) *A.J. Kenny, S.L. Stephenson* 1

Hypothesis

Structural basis for autogenous regulation of *Xenopus laevis* ribosomal protein L1 synthesis at the splicing level (FEB 05779) *A.P. Gultyaev, B.V. Shestopalov* 9

Research Letters

Effect of Graves' IgG on gene transcription in human thyroid cell cultures: Thyroglobulin gene activation (FEB 05820) *A.W.C. Kung, K. Collison, J.P. Banga, A.M. McGregor* 12

Two isoforms of protein phosphatase 1 may be produced from the same gene (FEB 05800) *P.T.W. Cohen* 17

Tumor necrosis factor and interleukin 1 activate phospholipase in rat chondrocytes (FEB 05821) *P. Suffys, F. Van Roy, W. Fiers* 24

Topography and stoichiometry of acidic phosphoproteins in rat liver 60 S ribosomal subunit (FEB 05814) *J.-P. Lavergne, A. Marzouki, J.-P. Reboud, A.-M. Reboud* 29

Small cytoplasmic RNA from mouse cells covalently linked to a protein (FEB 05823) *A.B. Vartapetian, T.N. Makarova, E.V. Koonin, V.I. Agol, A.A. Bogdanov* 35

Simultaneous separation of all lens crystallin subunits by chromatofocusing (FEB 05803) *P. Body, H. Bloemendal* 39

A monoclonal anti-thromboxane B_2 antibody (FEB 05824) *M. Reinke, K. Brune* 46

Mesenteric vascular responses to i.v. administration of lipoxin A_4 and lipoxin B_4 in the conscious rat (FEB 05825) *G. Feuerstein, A.-L. Siren* 51

The cleavage of β-chain in bovine fibrinogen D_H fragment (95 kDa) leads to a significant increase in its anticlotting activity (FEB 05815) *L.V. Medved', T.N. Platonova, S.V. Litvinovich, N.I. Lukinova* 56

Hydrophobic 3.7 kDa surfactant polypeptide: structural characterization of the human and bovine forms (FEB 05816) *J. Johansson, H. Jörnvall, A. Eklund, N. Christensen, B. Robertson, T. Curstedt* 61

Proteolytic signal sequences (PEST) in the mammalian aminoacyl-tRNA synthetase complex (FEB 05826) *A. Jacobo-Molina, M. Villa-Garcia, H.-C. Chen, D.C.H. Yang* 65

Octopus rhodopsin: Amino acid sequence deduced from cDNA (FEB 05828) *Yu.A. Ovchinnikov, N.G. Abdulaev, A.S. Zolotarev, I.D. Artamonov, I.A. Bespalov, A.E. Dergachev, M. Tsuda* 69

Role of water activity on the rates of acetyl phosphate and ATP hydrolysis (FEB 05827) *L. de Meis, V.A. Suzano* 73

Phosphorylation and dephosphorylation of hormone-sensitive lipase: Interactions between the regulatory and basal phosphorylation sites (FEB 05829) *H. Olsson, P. Belfrage* 78

Initial and sustained calcium mobilizations in the parietal cell during stimulations with gastrin, inositol trisphosphate, phorbol ester and exogenous diacylglycerol (FEB 05830) *Y. Tsunoda, H. Takeda, M. Asaka, I. Nakagaki, S. Sasaki* 83

Subunit III of ruminant procarboxypeptidase A-S6 complexes and pancreatic proteases E: A new family of pancreatic serine endopeptidases? (FEB 05832) *C. Cambillau, B. Kerfelec, M. Sciaky, C. Chapus* 91

Site-specific enzymatic cleavage of TMV RNA directed by deoxyribo- and chimeric (deoxyribo-ribo)oligonucleotides (FEB 05834) *K.J. Atabekov, L.G. Tyulkina, O.V. Karpova, V.G. Metelev, N.P. Rodionova, Z.A. Shabarova, J.G. Atabekov* 96

Multi-site binding of human nuclear protein to the Alu-family repeated DNA (FEB 05822) *O.I. Podgornaya, L.M. Perelygina, N.V. Tomilin* 99

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

VLDL apoprotein secretion and apo-B mRNA level in primary culture of cholesterol-loaded rabbit hepatocytes (FEB 05833) *V.A. Kosykh, A.P. Surguchov, E.A. Podres, D.K. Novikov, A.B. Sudarickov, Yu.V. Berestetskaya, V.S. Repin, V.N. Smirnov* 103

Application of the small-angle X-ray scattering technique for the study of equilibrium enzyme-substrate interactions of phenylalanyl-tRNA synthetase from *E. coli* with $tRNA^{Phe}$ (FEB 05835) *F.V. Tuzikov, V.V. Zinoviev, V.I. Vavilin, E.G. Maligin, V.N. Ankilova, N.A. Moor, O.I. Lavrik* 107

E. coli F_1-ATPase: site-directed mutagenesis of the β-subunit (FEB 05831) *D. Parsonage, S. Wilke-Mounts, A.E. Senior* 111

Primary and secondary structure of the 18 S ribosomal RNA of the insect species *Tenebrio molitor* (FEB 05836) *L. Hendriks, R. De Baere, C. Van Broeckhoven, R. De Wachter* 115

3′:5′-cyclic GMP in the yeast *Saccharomyces cerevisiae* at different metabolic conditions (FEB 05813) *H. Eckstein* 121

Brain natriuretic factor: Augmentation of cellular cyclic GMP, activation of particulate guanylate cyclase and receptor binding (FEB 05841) *D.-L. Song, K.P. Kohse, F. Murad* 125

Phosphorylation of hepatic insulin receptor by casein kinase 2 (FEB 05837) *J. Grande, M. Pérez, E. Itarte* 130

Human orbital tissue and thyroid membranes express a 64 kDa protein which is recognized by autoantibodies in the serum of patients with thyroid-associated ophthalmopathy (FEB 05838) *M. Salvi, A. Miller, J.R. Wall* 135

High molecular mass type IV collagen-specific metalloprotease from human carcinoma tissue (FEB 05839) *M. Tsuda, Y. Yamagishi, T. Katsunuma* 140

Inhibition of *N*-acetylneuraminate lyase by *N*-acetyl-4-oxo-D-neuraminic acid (FEB 05840) *H.J. Groß, R. Brossmer* 145

Pertussis toxin inhibits cAMP surface receptor-stimulated binding of [^{35}S]GTPγS to *Dictyostelium discoideum* membranes (FEB 05842) *B.E. Snaar-Jagalska, R.J.W. De Wit, P.J.M. Van Haastert* 148

Chemical reactions within DNA duplexes: Cyanogen bromide as an effective oligodeoxyribonucleotide coupling agent (FEB 05843) *N.I. Sokolova, D.T. Ashirbekova, N.G. Dolinnaya, Z.A. Shabarova* 153

Intramitochondrial factors controlling hepatic fatty acid oxidation at weaning in the rat (FEB 05844) *J.-F. Decaux, D. Robin, P. Robin, P. Ferré, J. Girard* 156

Heat-stable microtubule protein MAP-1 binds to microtubules and induces microtubule assembly (FEB 05846) *J.C. Vera, C.I. Rivas, R.B. Maccioni* 159

Humoral mediator-dependent activation of the *Sarcophaga* lectin gene (FEB 05845) *A. Shiraishi, S. Natori* 163

Immunochemical characterization of the modulator protein of the ATP,Mg-dependent protein phosphatase (FEB 05847) *C. Vanden Abeele, J.R. Vandenheede, W. Merlevede* 167

Circadian variations in melatonin-binding sites in discrete areas of the male rat brain (FEB 05849) *N. Zisapel, I. Nir, M. Laudon* 172

Variable expression of SV40 large T antigen in CV1 cell clones (FEB 05854) *D.P. Matthopoulos, G.N. Pagoulatos* 177

γ-Subunit of mouse retinal cyclic-GMP phosphodiesterase: cDNA and corresponding amino acid sequence (FEB 05850) *N. Tuteja, D.B. Farber* 182

Nucleotide sequence of the androgen-dependent arginine esterase mRNA of canine prostate (FEB 05851) *P. Chapdelaine, M.-A. Ho-Kim, R.R. Tremblay, J.Y. Dubé* 187

Studies on the binding of bacteria to glycolipids: Two species of *Propionibacterium* apparently recognize separate epitopes on lactose of lactosylceramide (FEB 05856) *N. Strömberg, M. Ryd, A.A. Lindberg, K.-A. Karlsson* 193

Mutual inactivation of valinomycin and protonophores by complex formation in liposomal membranes (FEB 05857) *G. Krishnamoorthy* 199

Fast electron transfer from low- to high-potential cytochrome b_6 in isolated cytochrome b_6f complex (FEB 05853) *W. Nitschke, G. Hauska, A.R. Crofts* 204

Oxidation-reduction potential dependence of reaction centre triplet formation in the isolated D1/D2/cytochrome *b*-559 photosystem II complex (FEB 05859) *A. Telfer, J. Barber, M.C.W. Evans* 209

Anoxic brain function: molecular mechanisms of metabolic depression (FEB 05872) *S.P.J. Brooks, K.B. Storey* 214
Escherichia coli hemolysin permeabilizes small unilamellar vesicles loaded with calcein by a single-hit mechanism (FEB 05870) *G. Menestrina* 217
The γ-subunit of ATP synthase from spinach chloroplasts: Primary structure deduced from the cloned cDNA sequence (FEB 05862) *J. Miki, M. Maeda, Y. Mukohata, M. Futai* 221
Organization of 5'-proximal *c-myb* exons in chicken DNA: Implications for *c-myb* tissue-specific transcription (FEB 05863) *J. Soret, M. Vellard, C. Martinerie, B. Perbal* 227
Strand-specific transcription of the simple sequences poly[(dG-dT):(dC-dA)] and poly[(dG-dA):(dC-dT)] in *D. melanogaster* embryos revealed by S_1 nuclease treatment (FEB 05868) *R.P. Vashakidze, N.A. Mamulashvili, K.G. Kalandarishvili, A.M. Kolchinsky* 235
Posttranscriptional regulation of the expression of CAD gene during differentiation of F9 teratocarcinoma cells by induction with retinoic acid and dibutyryl cyclic AMP (FEB 05865) *G.N. Rao, R.L. Church, J.N. Davidson* 238
The conversion of phosphoserine residues to selenocysteine residues on an opal suppressor tRNA and casein (FEB 05869) *T. Mizutani, T. Hitaka* 243
Bacillus thuringiensis ssp. *galleriae* simultaneously produces two δ-endotoxins differing strongly in primary structure and entomocidal activity (FEB 05867) *G.G. Chestukhina, L.I. Kostina, I.A. Zalunin, O.M. Khodova, V.M. Stepanov* 249
Isolation and identification of hydroxyproline analogues of bradykinin in human urine (FEB 05864) *H. Kato, Y. Matsumura, H. Maeda* 252

Notes to Authors 256

Foreword

The Early Days of *FEBS Letters* 259
List of Editors 1968–1988 260
Editorial 261

Hypothesis

A decapeptide motif for binding to the minor groove of DNA: A proposal (FEB 05893) *W.G. Turnell, S.C. Satchwell, A.A. Travers* 263

Research Letters

Differential potency and trans-activation of normal and mutant T24 human H-*ras*1 gene promoters (FEB 05871) *D.A. Spandidos, A. Pintzas* 269
Cloning and sequencing of spinach cDNA clones encoding the 20 kDa PS I polypeptide (FEB 05860) *B. Lagoutte* 275
Ribosomal proteins S2, S6, S10, S14, S15 and S25 are localized on the surface of mammalian 40 S subunits and stabilize their conformation: A study with immobilized trypsin (FEB 05876) *M.-J. Marion, C. Marion* 281
Diol lipids are activators of protein kinase C (FEB 05874) *S.E. Severin, jr, E.K. Tovmasyan, V.I. Shvets, J.G. Molotkovsky, L.D. Bergelson* 286
The effect of troponin C removal on the Ca^{2+}-sensitive binding of Mg^{2+}AMPPNP to myofibrils (FEB 05875) *R.E. Johnson* 289
Suppression of clofibrate-induced peroxisome proliferation in rat liver by nicardipine, a calcium antagonist (FEB 05858) *T. Watanabe, T. Suga* 293
Ligands to the 2Fe iron-sulfur center in succinate dehydrogenase (FEB 05852) *A. Ævarsson, L. Hederstedt* 298
FTIR studies on crystals of photosynthetic reaction centers (FEB 05861) *K. Gerwert, B. Hess, H. Michel, S. Buchanan* 303
Structural requirements of choline derivatives for 'conversion' of pneumococcal amidase: A new single-step procedure for purification of this autolysin (FEB 05878) *J.M. Sanz, R. Lopez, J.L. Garcia* 308
A photoactivatable synthetic transit peptide labels 30 kDa and 52 kDa polypeptides of the chloroplast inner envelope membrane (FEB 05877) *M.A. Kaderbhai, T. Pickering, B.M. Austen, N. Kaderbhai* 313

Influence of 2-chloroadenosine on the nucleotide content of isolated rat hepatocytes (FEB 05855) *S. Claeyssens, M. Hamet, A. Chedeville, J.-P. Basuyau, A. Lavoinne* 317

Developmentally regulated alternative splicing of brain myelin-associated glycoprotein mRNA is lacking in the quaking mouse (FEB 05873) *N. Fujita, S. Sato, T. Kurihara, T. Inuzuka, Y. Takahashi, T. Miyatake* 323

Derivation of the sequence of the signal peptide in human C4b-binding protein and interspecies cross-hybridisation of the C4bp cDNA sequence (FEB 05819) *S.J. Lintin, A.R. Lewin, K.B.M. Reid* 328

Cloning and characterization of the human gene for the α-subunit of G_{i2}, a GTP-binding signal transduction protein (FEB 05818) *L.S. Weinstein, A.M. Spiegel, A.D. Carter* 333

Phospholipid uptake by *Plasmodium knowlesi* infected erythrocytes (FEB 05848) *G.N. Moll, H.J. Vial, M.L. Ancelin, J.A.F. Op den Kamp, B. Roelofsen, L.L.M. van Deenen* 341

Recombinant human interleukin-6 (IL-6/BSF-2/HSF) regulates the synthesis of acute phase proteins in human hepatocytes (FEB 05879) *J.V. Castell, M.J. Gómez-Lechón, M. David, T. Hirano, T. Kishimoto, P.C. Heinrich* 347

Evidence for the identity of anti-proteinase pulmonary protein CCSP and uteroglobin (FEB 05883) *M.S.L. de Haro, L. Alvarez, A. Nieto* 351

Effect of 7β-hydroxycholesterol on growth and membrane composition of *Mycoplasma capricolum* (FEB 05880) *I. Lelong, B. Luu, M. Mersel, S. Rottem* 354

Chemiosmotic H^+ cycling across the plasma membrane of the thermoacidophilic archaebacterium *Sulfolobus acidocaldarius* (FEB 05881) *R. Moll, G. Schäfer* 359

Photosynthetic reaction centre of *Chloroflexus aurantiacus*: Primary structure of M-subunit (FEB 05888) *Yu.A. Ovchinnikov, N.G. Abdulaev, B.E. Shmuckler, A.A. Zargarov, M.A. Kutuzov, I.N. Telezhinskaya, N.B. Levina, A.S. Zolotarev* 364

Effect of structure of the initiator codon on translation in *E. coli* (FEB 05887) *Yu.E. Khudyakov, V.S. Neplyueva, T.I. Kalinina, V.D. Smirnov* 369

Linolenic acid-induced release of Mn, polypeptides and inactivation of oxygen evolution in photosystem II particles (FEB 05882) *M. Garstka, Z. Kaniuga* 372

Inhibition of cholesterol side-chain cleavage by intermediates of an alternative steroid biosynthetic pathway (FEB 05885) *E.J.M. van Haren, A.D. Tait* 377

Crystallization and crystal data on tyrosine phenol-lyase (FEB 05890) *T.V. Demidkina, I.V. Myagkikh, A.A. Antson, E.H. Harutyunyan* 381

How do external parameters control fluxes and concentrations of metabolites?: An additional relationship in the theory of metabolic control (FEB 05889) *B.N. Kholodenko* 383

Activation of carcinogens by peroxidase: Horseradish peroxidase-mediated formation of benzenediazonium ion from a non-aminoazo dye, l-phenylazo-2-hydroxynaphthalene (Sudan I) and its binding to DNA (FEB 05894) *M. Stiborová, B. Asfaw, P. Anzenbacher* 387

Role of *N*-linked oligosaccharides attached to human renin expressed in COS cells (FEB 05886) *H. Hori, T. Yoshino, Y. Ishizuka, T. Yamauchi, K. Murakami* 391

Identification of [hydroxyproline^3]-lysyl-bradykinin released from human kininogens by human urinary kallikrein (FEB 05891) *M. Maier, G. Reissert, I. Jerabek, F. Lottspeich, B.R. Binder* 395

Improvement in HPLC fractionation of thyroxine-containing thyroglobulin tryptic peptides by prior Accell ion-exchange column chromatography (FEB 05895) *J. Miguel, M. Asuncion, C. Marin, A. Seguido, L. Lamas, E. Mendez* 399

Evidence that during very low density lipoprotein assembly in rat hepatocytes most of the triacylglycerol and phospholipid are packaged with apolipoprotein B in the Golgi complex (FEB 05897) *J.A. Higgins* 405

Microinjection of catalytic subunit of cyclic AMP-dependent protein kinases triggers acute morphological changes in thyroid epithelial cells (FEB 05884) *P.P. Roger, F. Rickaert, G. Huez, M. Authelet, F. Hofmann, J.E. Dumont* 409

Author Index 414

Table of Contents 419

Notes to Authors 423